

# SEARCH REQUEST FORM

Scientific and Technical Information Center

Requester's Full Name: HOA VAN LE Examiner #: 60626 Date: 15 Nov. 2004  
 Art Unit: 1752 Phone Number 301-571-272-1332 Serial Number: 10/701448  
 Mail Box and Bldg/Room Location: 9D61(CRM) Results Format Preferred (circle): PAPER DISK E-MAIL

If more than one search is submitted, please prioritize searches in order of need.

\*\*\*\*\*

Please provide a detailed statement of the search topic, and describe as specifically as possible the subject matter to be searched. Include the elected species or structures, keywords, synonyms, acronyms, and registry numbers, and combine with the concept or utility of the invention. Define any terms that may have a special meaning. Give examples or relevant citations, authors, etc, if known. Please attach a copy of the cover sheet, pertinent claims, and abstract.

Title of Invention: \_\_\_\_\_

Inventors (please provide full names): \_\_\_\_\_ *please see the attachment*

Earliest Priority Filing Date: \_\_\_\_\_

\*For Sequence Searches Only\* Please include all pertinent information (parent, child, divisional, or issued patent numbers) along with the appropriate serial number.

*please search for resin of the general formula (1),  
 especially with the elected resin.*

*Thank you.*

SCIENTIFIC REFERENCE BR  
 Sci. & Tech. Info. Ctr.

Pat. & T.M. Office

(NOT THAT MUCH OUT THERE REAL CLOSE.)

## STAFF USE ONLY

	Type of Search	Vendors and cost where applicable
Searcher: <u>ES</u>	NA Sequence (#) _____	STN _____
Searcher Phone #: _____	AA Sequence (#) _____	Dialog _____
Searcher Location: _____	Structure (#) _____	Questel/Orbit _____
Date Searcher Picked Up: _____	Bibliographic _____	Dr.Link _____
Date Completed: <u>11-17-04</u>	Litigation _____	Lexis/Nexis _____
Searcher Prep & Review Time: _____	Fulltext _____	Sequence Systems _____
Clerical Prep Time: _____	Patent Family _____	WWW/Internet _____
Online Time: _____	Other _____	Other (specify) _____



1270.43264X00

IFW

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: H. KOMATSU  
Application No.: 10/701,448  
Filed: November 6, 2003  
For: PHOTSENSITIVE RESIN COMPOSITION, PROCESS FOR  
FORMING RELIEF PATTERN, AND ELECTRONIC  
COMPONENT  
Art Unit: 1752  
Examiner: H. Le

RESPONSE

Mail Stop Amendment  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

October 12, 2004


Sir:

The Office Action mailed September 10, 2004, in connection with the above-identified application, is noted. In this Office Action mailed September 10, 2004, the Examiner has required an election of a single disclosed chemical structure species for the general formula (1) set forth in claim 1, for initiation of a search. In connection therewith, the Examiner has required Applicant "to precisely disclose the elected chemical structure with (1) all bonding connections between and among all chemical ingredients and (2) listing of all chemical elements and their positions in the elected chemical structure".

In response thereto, and thus as the species elected, represented by the general formula (1) of claim 1, the following polymer (heat-resistant polymer (I)) is elected:

*Elected polymer*

1270.43264X00



It is respectfully submitted that the foregoing structural formula provides all bonding connections between and among all chemical ingredients, and qualifies as a listing of all chemical elements and their positions in the elected chemical structure. Accordingly, it is respectfully submitted that the above-indicated heat-resistant polymer (I), being elected in response to the Office Action mailed September 10, 2004, provides a complete response thereto.

The indication by the Examiner that no restriction requirement is being made, in the Office Action mailed September 10, 2004, is noted. It is also to be noted that the Examiner has indicated that when claim 1 is found to be allowable over prior art, claims directed to a process for forming a relief pattern (claim 11) and to an electronic component or device (claims 12 and 13) will be allowed in the present application. It is respectfully submitted that there is no need for Applicant to respond to contentions by the Examiner in Item E on page 3 of the Office Action mailed September 10, 2004.

As an aside, statements by the Examiner in Item E on page 3 of the Office Action mailed September 10, 2004, are noted. In particular, it is noted that the Examiner initially refers to species, but in the last sentence in Item E states that in the absence of convincing evidence, the "restriction" would not be removed. It is respectfully submitted, however, that no restriction requirement has been made in the Office Action mailed September 10, 2004. Note Item D on page 3 of


the Office Action mailed September 10, 2004. It is respectfully requested that the Examiner clarify the record, and indicate that the "election-of-species" requirement would not be removed in "the absence of convincing evidence", if this is the intent of Item E on page 3 of the Office Action mailed September 10, 2004.

In view of all of the foregoing, Applicant respectfully elects the above-indicated species of heat-resistant polymer (I) "for a precise consideration and search", and respectfully requests examination of the above-identified application on the merits in due course. Upon allowance of subject matter including the above-indicated species, examination of the composition including the heat-resistant polymer represented by general formula (1), and consideration and allowance of all claims presently in the application, are respectfully requested.

Please charge any shortage in fees due in connection with the filing of this paper, including extension of time fees, to the Antonelli, Terry, Stout & Kraus, LLP Deposit Account No. 01-2135 (Docket No. 1270.43264X00), and please credit any excess fees to such Deposit Account.

Respectfully submitted,

ANTONELLI, TERRY, STOUT & KRAUS, LLP

By   
William I. Solomon  
Reg. No. 28,565


1300 North Seventeenth Street, Suite 1800  
Arlington, Virginia 22209  
Telephone: (703) 312-6600  
Facsimile: (703) 312-6666  
WIS/sjg

10/701, 448

WHAT IS CLAIMED IS:

1. A photosensitive resin composition comprising:

(A) a heat-resistant polymer represented by general formula (1)




where X represents a divalent organic group; Y represents a tetravalent organic group; Z represents a cyclic compound group free of reactive unsaturated bonds; R represents hydrogen or a monovalent organic group; and n is an integer of 2 to 500 and represents the number of repeating units of the polymer;

(B) a photoreactive compound; and

(C) a solvent.

2. The photosensitive resin composition according to claim 1, wherein at least one of the organic groups X and Y is an aromatic group.

3. The photosensitive resin composition according to claim 1, wherein the cyclic compound group Z is a compound group having an alicyclic structure.



4. The photosensitive resin composition according to claim 2, wherein the cyclic compound group Z is a compound group having an alicyclic structure.
- 5 5. The photosensitive resin composition according to claim 3, wherein the compound group having an alicyclic structure has 3 or 4 carbon atoms.
6. The photosensitive resin composition according to claim 4, wherein the compound group having an alicyclic structure has 3 or 4 carbon atoms.
- 10 7. The photosensitive resin composition according to claim 1, wherein the divalent organic group represented by X comprises at least one divalent group derived from 3-fluoroisophthalic acid, 2-fluoroisophthalic acid, 3-fluorophthalic acid, 2-fluorophthalic acid, 2,4,5,6-tetrafluoroisophthalic acid, 3,4,5,6-tetrafluorophthalic acid,
- 15 4,4'-hexafluoroisopropylidenediphenyldicarboxylic acid, perfluorosuberic acid, 2,2'-bis(trifluoromethyl)-4,4'-biphenylenedicarboxylic acid, terephthalic acid, isophthalic acid, 4,4'-oxydiphenyldicarboxylic acid, 5-nitroisophthalic acid, 1,4-naphthalenedicarboxylic acid, 2,6-naphthalenedicarboxylic acid, and
- 20 4,4'-biphenyldicarboxylic acid.
8. The photosensitive resin composition according to claim 1, wherein the tetravalent organic group represented by Y comprises at least one divalent group derived from 4,4'-diamino-3,3'-dihydroxybiphenyl,
- 25 2,2'-bis(3-amino-4-hydroxyphenyl)propane, and

2,2'-bis(3-amino-4-hydroxyphenyl)hexafluoropropane.

9. The photosensitive resin composition according to claim 1, wherein Z comprises at least one group selected from the group consisting of  
5 cyclopropyl, cyclobutyl, 2-phenyl-1-cyclopropyl, 1-phenyl-1-cyclopropyl, 1-benzocyclobutenyl, 2-methylcyclopropenyl, 1-hydroxy-1-cyclopropyl, 1-carboxy-1-cyclopropyl, and 1-carboxy-1-cyclobutyl.
10. The photosensitive resin composition according to claim 1, wherein  
10 the heat-resistant polymer has a weight average molecular weight in the range of 5,000 to 80,000.
11. A process for forming a relief pattern, comprising:  
applying the photosensitive resin composition according to claim 1 to  
15 a support substrate and drying the composition applied to form a photosensitive resin film;  
subjecting the dried photosensitive resin film to exposure;  
subjecting the exposed photosensitive resin film to development using an alkaline aqueous solution; and  
20 subjecting the developed photosensitive resin film to heating treatment.
12. An electronic component having an electronic device including at least an interlayer dielectric film layer and a surface protecting film layer,  
25 wherein at least one of the interlayer dielectric film layer and the

surface protecting film layer comprises a resin film formed from the  
photosensitive resin composition according to claim 1.

13. The electronic device according to claim 12, wherein the resin film  
5 comprises a patterned film formed by the process according to claim 11.





## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
 United States Patent and Trademark Office  
 Address: COMMISSIONER FOR PATENTS  
 P.O. Box 1450  
 Alexandria, Virginia 22313-1450  
 www.uspto.gov

## \*BIBDATASHEET\*

Bib Data Sheet

CONFIRMATION NO. 7624

SERIAL NUMBER 10/701,448	FILING DATE 11/06/2003  RULE	CLASS 430	GROUP ART UNIT 1752	ATTORNEY DOCKET NO. X00
-----------------------------	---------------------------------------	--------------	------------------------	-------------------------------

## APPLICANTS

Hiroshi Komatsu, Ibaraki, JAPAN;

\*\* CONTINUING DATA \*\*\*\*\*

None, Le

\*\* FOREIGN APPLICATIONS \*\*\*\*\*

Le

JAPAN 2002-322700 11/06/2002

JAPAN 2003-011888 01/21/2003

IF REQUIRED, FOREIGN FILING LICENSE GRANTED

\*\* 02/04/2004

Foreign Priority claimed

☒ yes ☐ no

35 USC 119 (a-d) conditions met

☒ yes ☐ no ☐ Met after Allowance

Verified and Acknowledged

*Hiroshi Komatsu*  
 Examiner's Signature Initials

STATE OR

SHEETS

TOTAL

INDEPENDENT

COUNTRY  
JAPANDRAWING  
1CLAIMS  
13CLAIMS  
1

## ADDRESS

020457

ANTONELLI, TERRY, STOUT &amp; KRAUS, LLP

1300 NORTH SEVENTEENTH STREET

SUITE 1800

ARLINGTON, VA

22209-9889

## TITLE

Photosensitive resin composition, process for forming relief pattern, and electronic component

FILING FEE

RECEIVED

FEES: Authority has been given in Paper  
 No. \_\_\_\_\_ to charge/credit DEPOSIT ACCOUNT  
 No. \_\_\_\_\_ for following:

☐ All Fees☐ 1.16 Fees ( Filing )☐ 1.17 Fees ( Processing Ext. of time )☐ 1.18 Fees ( Issue )

=> file reg  
FILE 'REGISTRY'  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2004 American Chemical Society (ACS)

=> d his

FILE 'HCAPLUS'  
L1 1785 S KOMATSU H?/AU  
L2 27174 S PHOTSENS?/TI  
L3 19 S L1 AND L2  
SEL L3 1-19 RN

FILE 'REGISTRY'  
L4 139 S E1-E139  
L6 61 S L4 AND PMS/CI

FILE 'HCAPLUS'  
SEL L3 2 RN

FILE 'REGISTRY'  
L7 10 S E140-E149  
SEL L7 1 RN  
L8 1 S E150

FILE 'HCA'  
L9 1 S L8

FILE 'REGISTRY'  
SEL L7 4 RN  
L10 1 S E151  
SEL L7 7,8 RN  
L11 2 S E152-E153

FILE 'HCA'  
L12 36 S L10  
L13 1545 S L11  
L14 1 S L12 AND L13

FILE 'LREGISTRY'  
L15 STR  
L16 STR  
L17 STR

FILE 'REGISTRY'

L18 SCR 2043  
L19 3 S L16 AND L17 AND L18  
L20 1650 S L16 AND L17 AND L18 FUL  
SAV L20 LE448/A  
L21 1 S L15 SSS SAM SUB=L20  
L22 18 S L15 SSS FUL SUB=L20  
SAV L22 LE448A/A

FILE 'HCA'  
L23 12 S L22

FILE 'REGISTRY'  
L24 1632 S L20 NOT L22

FILE 'HCA'  
L25 861 S L24  
L26 1 S (L12 OR L25) AND L13

FILE 'REGISTRY'  
L27 7 POLYLINK L10

FILE 'HCA'  
L28 99 S L27  
L29 1 S L28 AND L13

FILE 'REGISTRY'  
L30 1982 POLYLINK L24

FILE 'HCA'  
L31 987 S L30  
L32 1 S L31 AND L13

FILE 'REGISTRY'  
L33 STR L15  
L34 25 S L33

FILE 'LREGISTRY'  
L35 STR

FILE 'REGISTRY'  
L36 42 S L35  
L37 SCR 1380 OR 1526  
L38 42 S L35 AND L37  
L39 SCR 1034  
L40 50 S L35 AND L37 AND L39  
L41 50 S L35 AND L15 AND L37 AND L39  
L42 11862 S L35 AND L15 AND L37 AND L39 FUL  
SAV TEM L42 LE448B/A

L43 3 S L42 AND L20


FILE 'HCA'  
L44 2 S L43

FILE 'REGISTRY'  
L45 3 POLYLINK L43

FILE 'HCA'  
L46 10846 S L42  
L47 3 S L46 AND (L28 OR L31)  
L48 13 S L9 OR L14 OR L23 OR L26 OR L29 OR L32 OR L44 OR L47

FILE 'REGISTRY'

=> d 122 que stat  
L15 STR




NODE ATTRIBUTES:  
DEFAULT MLEVEL IS ATOM  
GGCAT IS SAT AT 1  
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:  
RING(S) ARE ISOLATED OR EMBEDDED  
NUMBER OF NODES IS 3

STEREO ATTRIBUTES: NONE

L16 STR




REP G1=(0-3) A  
REP G2=(0-1) 8  
NODE ATTRIBUTES:  
DEFAULT MLEVEL IS ATOM  
GGCAT IS UNS AT 2

GGCAT IS UNS AT 8  
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:  
RING(S) ARE ISOLATED OR EMBEDDED  
NUMBER OF NODES IS 8

STEREO ATTRIBUTES: NONE  
L17 STR



REP G1=(0-3) A  
NODE ATTRIBUTES:  
DEFAULT MLEVEL IS ATOM  
GGCAT IS UNS AT 2  
GGCAT IS UNS AT 4  
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:  
RING(S) ARE ISOLATED OR EMBEDDED  
NUMBER OF NODES IS 7

STEREO ATTRIBUTES: NONE  
L18 SCR 2043  
L20 1650 SEA FILE=REGISTRY SSS FUL L16 AND L17 AND L18  
L22 18 SEA FILE=REGISTRY SUB=L20 SSS FUL L15

100.0% PROCESSED 1650 ITERATIONS  
SEARCH TIME: 00.00.01 18 ANSWERS

=> file hca

FILE 'HCA'

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

=> d l48 1-13 cbib abs hitstr hitrn

L48 ANSWER 1 OF 13 HCA COPYRIGHT 2004 ACS on STN  
141:197145 Polyamides for precursors of polybenzoxazole optical

waveguides with low transmission loss. Miyao, Kenji (Sumitomo Bakelite Co., Ltd., Japan). Jpn. Kokai Tokkyo Koho JP 2004224900 A2 20040812, 26 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP 2003-14064 20030122.

AB The polyamides have repeating units of  $ZCO[NHX(OR1)(OR2)NHC(O)YCO]_mNHX(OR3)(OR4)NHC(O)Z$  ( $R1-R4 = H$ , monovalent org. group;  $X =$  tetravalent org. group;  $Y =$  divalent org. group contg. ethynyl group, biphenylene group, etc.;  $Z =$  monovalent org. group;  $0 < m \leq 1000$ ). The polyamides are made into optical waveguides without crack formation.

IT **737829-37-7DP**, terminated with 5-norbornene-2,3-dicarboxylic anhydride

(crosslinked; polyamides for precursors of polybenzoxazole optical waveguides with low transmission loss)


RN 737829-37-7 HCA

CN 1,3-Benzenedicarbonyl dichloride, 5-ethynyl-, polymer with 1,4-cyclohexanedicarbonyl dichloride, 4,4'-oxybis[benzoyl chloride] and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 393543-05-0


CMF C10 H4 Cl2 O2



CM 2

CRN 83558-87-6


CMF C15 H12 F6 N2 O2



CM 3

CRN 13170-66-6


CMF C8 H10 Cl2 O2



CM 4

CRN 7158-32-9

CMF C14 H8 Cl2 O3




IT 737829-37-7DP, terminated with 5-norbornene-2,3-dicarboxylic anhydride

(crosslinked; polyamides for precursors of polybenzoxazole optical waveguides with low transmission loss)

L48 ANSWER 2 OF 13 HCA COPYRIGHT 2004 ACS on-STN  
 141:148090 Photosensitive resin composition, process for forming relief pattern, and electronic component. Komatsu, Hiroshi (Japan). U.S.

Pat. Appl. Publ. *Applicant* ~~US-2004~~142275 A1 20040722, 10 pp. (English).  
 CODEN: USXXCO. APPLICATION: US 2003-701448 20031106. PRIORITY: JP  
 2002-322700 20021106; JP 2003-11888 20030121.

GI




I

- AB A photosensitive resin compn. is disclosed that includes (A) a heat-resistant polymer of I (X =divalent org. group; Y = tetravalent org. group; Z =cyclic compd. group free of reactive unsatd. bonds; R = H, monovalent org. group; n = 2-500), (B) a photoreactive compd., and (C) a solvent. A relief pattern is formed from the compn. by applying the compn. to a support substrate and drying it to form a photosensitive resin film; exposing the dried film; developing the exposed film using an alk. aq. soln.; and heating the developed photosensitive resin film. Also disclosed is an electronic component that includes an electronic device having such a pattern.
- IT **4023-34-1DP**, Cyclopropanecarbonyl chloride, reaction product with hydroxy-contg. polyamides **5006-22-4DP**, Cyclobutanecarbonyl chloride, reaction product with hydroxy-contg. polyamides **112492-60-1DP**, cycloalkyl- or acryloylamide derivs. **340819-84-3P 726180-89-8P**

(photosensitive resin compn. for forming relief pattern and electronic component contg.)

RN 4023-34-1 HCA


CN Cyclopropanecarbonyl chloride (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)



RN 5006-22-4 HCA

CN Cyclobutanecarbonyl chloride (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)






RN 112492-60-1 HCA

CN Benzoic acid, 4,4'-oxybis-, polymer with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6


CMF C15 H12 F6 N2 O2



CM 2

CRN 2215-89-6

CMF C14 H10 O5




RN 340819-84-3 HCA

CN Benzoic acid, 4,4'-oxybis-, polymer with 2,5-furandione and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6


CMF C15 H12 F6 N2 O2



CM 2

CRN 2215-89-6


CMF C14 H10 O5



CM 3

CRN 108-31-6

CMF C4 H2 O3




RN 726180-89-8 HCA

CN Benzoic acid, 4,4'-oxybis-, polymer with 3-oxabicyclo[3.1.0]hexane-2,4-dione and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6


CMF C15 H12 F6 N2 O2



CM 2

CRN 5617-74-3


CMF C5 H4 O3



CM 3

CRN 2215-89-6

CMF C14 H10 O5




IT **4023-34-1DP**, Cyclopropanecarbonyl chloride, reaction product with hydroxy-contg. polyamides **5006-22-4DP**, Cyclobutanecarbonyl chloride, reaction product with hydroxy-contg. polyamides **112492-60-1DP**, cycloalkyl- or acryloylamide derivs. **340819-84-3P 726180-89-8P**  
 (photosensitive resin compn. for forming relief pattern and electronic component contg.)

L48 ANSWER 3 OF 13 HCA COPYRIGHT 2004 ACS on STN  
 140:347173 Positive type photosensitive plastic material for making optical waveguide. Miyao, Kenji (Sumitomo Bakelite Co., Ltd., Japan). Jpn. Kokai Tokkyo Koho JP-2004118123 A2 20040415, 25 pp.

(Japanese). CODEN: JKXXAF. APPLICATION: JP 2002-284534 20020927.

GI



AB The invention relates to a pos.-type photosensitive plastic material for making an optical waveguide, esp. suited for use in making a cladding layer, comprising 1-100 parts of photosensitive diazoquinones and 100 parts of the polyamide represented by I [R1-4 = H or monovalent org. group; X = tetravalent org. group; Y = divalent org. group; and E = monovalent org. group; 0 < m .ltoreq. 1000].

IT 29186-74-1DP, terminated by maleic acid anhydride  
 29186-76-3DP, terminated by perfluorobenzoic acid chloride  
 29186-77-4DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 29791-91-1DP, terminated by maleic acid anhydride 37165-14-3DP, terminated by 3,5-trifluoromethylbenzoic acid chloride 112492-59-8DP, 2,2-Bis(3-amino-4-hydroxyphenyl)hexafluoropropane-isophthalic acid chloride copolymer, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 174407-77-3DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 257280-04-9DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 500372-81-6DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680619-85-6P 680619-94-7P 680619-96-9P 680619-97-0P 680619-98-1P 680619-99-2P 680620-00-2P 680620-01-3P 680620-02-4P 680620-03-5P 680620-04-6P 680620-05-7P 680620-06-8P 680620-07-9P 680620-08-0P 680620-15-9P 680620-16-0P 680620-17-1P 680620-18-2DP, perfluorobenzoic acid chloride-terminated 680620-19-3DP, 3,5-trifluoromethylbenzoic acid chloride-terminated 680620-21-7P 680620-22-8P 680620-23-9P 680620-24-0P 680620-25-1DP, terminated by 3,5-trifluoromethylbenzoic acid chloride 680620-26-2P 680620-27-3P

680620-28-4P 680620-29-5DP, terminated by  
5-norbornane-2,3-dicarboxylic acid anhydride 680620-30-8DP  
, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride  
680620-31-9DP, terminated by 5-norbornane-2,3-dicarboxylic  
acid anhydride 680620-32-0DP, terminated by  
5-norbornane-2,3-dicarboxylic acid anhydride 680620-33-1DP  
, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride  
680620-34-2DP, terminated by 5-norbornane-2,3-dicarboxylic  
acid anhydride 680620-35-3DP, terminated by  
5-norbornane-2,3-dicarboxylic acid anhydride 680620-36-4P  
680620-37-5P 680620-38-6P 680620-39-7DP,  
terminated by 5-norbornane-2,3-dicarboxylic acid anhydride  
680620-40-0DP, terminated by 5-norbornane-2,3-dicarboxylic  
acid anhydride 680620-41-1DP, terminated by  
5-norbornane-2,3-dicarboxylic acid anhydride 680620-42-2DP  
, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride  
748806-62-4DP, terminated by perfluorobenzoic acid chloride  
(pos. type photosensitive plastic material for making optical  
waveguide)


RN 29186-74-1 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 4,4'-sulfonylbis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 7545-50-8


CMF C12 H12 N2 O4 S



CM 2

CRN 99-63-8

CMF C8 H4 C12 O2




RN 29186-76-3 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 4,4'-(1-methylethylidene)bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 1220-78-6


CMF C15 H18 N2 O2



CM 2

CRN 99-63-8

CMF C8 H4 Cl2 O2




RN 29186-77-4 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 4,4'-oxybis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 6423-17-2


CMF C12 H12 N2 O3



CM 2

CRN 99-63-8

CMF C8 H4 C12 O2




RN 29791-91-1 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 3,3'-diamino[1,1'-biphenyl]-4,4'-diol (9CI) (CA INDEX NAME)

CM 1

CRN 4194-40-5


CMF C12 H12 N2 O2



CM 2

CRN 99-63-8

CMF C8 H4 C12 O2




RN 37165-14-3 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 4,4'-methylenebis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 16523-28-7


CMF C13 H14 N2 O2



CM 2

CRN 99-63-8

CMF C8 H4 Cl2 O2



RN 112492-59-8 HCA


CN 1,3-Benzenedicarbonyl dichloride, polymer with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6




CMF C15 H12 F6 N2 O2



CM 2

CRN 99-63-8

CMF C8 H4 Cl2 O2




RN 174407-77-3 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 4,4'-oxybis[2-aminophenol] and 4,4'-oxybis[benzoyl chloride] (9CI) (CA INDEX NAME)

CM 1

CRN 7158-32-9


CMF C14 H8 Cl2 O3



CM 2

CRN 6423-17-2


CMF C12 H12 N2 O3



CM 3

CRN 99-63-8

CMF C8 H4 Cl2 O2




RN 257280-04-9 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 4,4'-oxybis[benzoyl chloride] and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6


CMF C15 H12 F6 N2 O2



CM 2

CRN 7158-32-9


CMF C14 H8 Cl2 O3



CM 3

CRN 99-63-8

CMF C8 H4 Cl2 O2




RN 500372-81-6 HCA  
 CN Benzoyl chloride, 4,4'-oxybis-, polymer with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[benzoyl chloride] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6


CMF C15 H12 F6 N2 O2



CM 2

CRN 7158-32-9


CMF C14 H8 Cl2 O3



CM 3

CRN 1102-92-7

CMF C17 H8 Cl2 F6 O2




RN 680619-85-6 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 3a,4,7,7a-tetrahydro-4,7-methanoisobenzofuran-1,3-dione and 4,4'-(2,2,2-trifluoro-1-(trifluoromethyl)ethylidene)bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6


CMF C15 H12 F6 N2 O2



CM 2

CRN 826-62-0


CMF C9 H8 O3



CM 3

CRN 99-63-8

CMF C8 H4 Cl2 O2




RN 680619-94-7 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 4,4'-oxybis[2-aminophenol] and 3a,4,7,7a-tetrahydro-4,7-methanoisobenzofuran-1,3-dione (9CI) (CA INDEX NAME)

CM 1

CRN 6423-17-2


CMF C12 H12 N2 O3



CM 2

CRN 826-62-0


CMF C9 H8 O3



CM 3

CRN 99-63-8

CMF C8 H4 C12 O2




RN 680619-96-9 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 2,5-furandione and 4,4'-sulfonylbis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 7545-50-8


CMF C12 H12 N2 O4 S



CM 2

CRN 108-31-6


CMF C4 H2 O3



CM 3

CRN 99-63-8

CMF C8 H4 Cl2 O2




RN 680619-97-0 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 3,3'-diamino[1,1'-biphenyl]-4,4'-diol and 2,5-furandione (9CI) (CA INDEX NAME)

CM 1

CRN 4194-40-5


CMF C12 H12 N2 O2



CM 2

CRN 108-31-6


CMF C4 H2 O3



CM 3

CRN 99-63-8


CMF C8 H4 Cl2 O2




RN 680619-98-1 HCA

CN Poly[thio(4-hydroxy-1,3-phenylene)iminocarbonyl-1,3-phenylenecarbonylimino(6-hydroxy-1,3-phenylene)],  
 .alpha.-[4-hydroxy-3-[(pentafluorobenzoyl)amino]phenyl]-.omega.-[[4-hydroxy-3-[(pentafluorobenzoyl)amino]phenyl]thio]- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 1-B






RN 680619-99-2 HCA  
 CN Poly[iminocarbonyl-1,3-phenylenecarbonylimino(6-hydroxy-1,3-phenylene) (1-methylethylidene) (4-hydroxy-1,3-phenylene)],  
 .alpha.-[2-hydroxy-5-[1-[4-hydroxy-3-[(pentafluorobenzoyl) amino]phenyl]-1-methylethyl]phenyl]-.omega.-[(pentafluorobenzoyl) amino]- (9CI)  
 (CA INDEX NAME)

PAGE 1-A



PAGE 1-B




RN 680620-00-2 HCA  
 CN 1,3-Benzenedicarbonyl dichloride, polymer with 3,3'-diamino[1,1'-biphenyl]-4,4'-diol, 4,4'-oxybis[benzoyl chloride] and 3a,4,7,7a-tetrahydro-4,7-methanoisobenzofuran-1,3-dione (9CI) (CA INDEX NAME)

CM 1

CRN 7158-32-9


CMF C14 H8 C12 O3



CM 2

CRN 4194-40-5


CMF C12 H12 N2 O2



CM 3

CRN 826-62-0


CMF C9 H8 O3



CM 4

CRN 99-63-8

CMF C8 H4 C12 O2




RN 680620-01-3 HCA

CN Benzoyl chloride, 4,4'-oxybis-, polymer with 4,4'-sulfonylbis[benzoyl chloride], 3a,4,7,7a-tetrahydro-4,7-methanoisobenzofuran-1,3-dione and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6


CMF C15 H12 F6 N2 O2



CM 2

CRN 7158-32-9


CMF C14 H8 Cl2 O3



CM 3

CRN 4462-61-7


CMF C14 H8 Cl2 O4 S



CM 4

CRN 826-62-0

CMF C9 H8 O3




RN 680620-02-4 HCA

CN [1,1'-Biphenyl]-4,4'-dicarbonyl dichloride, polymer with 4,4'-oxybis[benzoyl chloride], 3a,4,7,7a-tetrahydro-4,7-methanoisobenzofuran-1,3-dione and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6


CMF C15 H12 F6 N2 O2



CM 2

CRN 7158-32-9


CMF C14 H8 Cl2 O3



CM 3

CRN 2351-37-3


CMF C14 H8 Cl2 O2



CM 4

CRN 826-62-0

CMF C9 H8 O3




RN 680620-03-5 HCA

CN Benzoyl chloride, 4,4'-(1-methylethylidene)bis-, polymer with 4,4'-oxybis(benzoyl chloride), 3a,4,7,7a-tetrahydro-4,7-methanoisobenzofuran-1,3-dione and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)


CM 1

CRN 83558-87-6  
CMF C15 H12 F6 N2 O2




CM 2

CRN 19855-84-6  
CMF C17 H14 Cl2 O2




CM 3

CRN 7158-32-9  
CMF C14 H8 Cl2 O3



CM 4

CRN 826-62-0  
CMF C9 H8 O3




RN 680620-04-6 HCA

CN Benzoyl chloride, 4,4'-methylenebis-, polymer with 4,4'-oxybis[benzoyl chloride], 3a,4,7,7a-tetrahydro-4,7-methanoisobenzofuran-1,3-dione and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6


CMF C15 H12 F6 N2 O2



CM 2

CRN 7158-32-9


CMF C14 H8 Cl2 O3



CM 3

CRN 3268-26-6


CMF C15 H10 Cl2 O2



CM 4

CRN 826-62-0

CMF C9 H8 O3




RN 680620-05-7 HCA

CN Benzoyl chloride, 4,4'-oxybis-, polymer with 3,3'-[1,3-phenylenebis(oxy)]bis[benzoyl chloride], 3a,4,7,7a-tetrahydro-4,7-methanoisobenzofuran-1,3-dione and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6

CMF C15 H12 F6 N2 O2




CM 2

CRN 74294-29-4




CMF C20 H12 Cl2 O4



CM 3

CRN 7158-32-9


CMF C14 H8 Cl2 O3



CM 4

CRN 826-62-0

CMF C9 H8 O3




RN 680620-06-8 HCA

CN [1,1':4',1'':4'',1'''-Quaterphenyl]-4,4'''-dicarbonyl dichloride, polymer with 4,4'-oxybis(benzoyl chloride), 3a,4,7,7a-tetrahydro-4,7-methanoisobenzofuran-1,3-dione and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6


CMF C15 H12 F6 N2 O2



CM 2

CRN 55586-27-1


CMF C26 H16 Cl2 O2



CM 3

CRN 7158-32-9


CMF C14 H8 Cl2 O3



CM 4

CRN 826-62-0

CMF C9 H8 O3




RN 680620-07-9 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 4,4'-oxybis[benzoyl chloride], 3a,4,7,7a-tetrahydro-4,7-methanoisobenzofuran-1,3-dione and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6


CMF C15 H12 F6 N2 O2



CM 2

CRN 7158-32-9


CMF C14 H8 Cl2 O3



CM 3

CRN 826-62-0


CMF C9 H8 O3



CM 4

CRN 99-63-8

CMF C8 H4 C12 O2




RN 680620-08-0 HCA

CN Benzoyl chloride, 4,4'-oxybis-, polymer with 3a,4,7,7a-tetrahydro-  
 4,7-methanoisobenzofuran-1,3-dione, 4,4'-[2,2,2-trifluoro-1-  
 (trifluoromethyl)ethylidene]bis[2-aminophenol] and  
 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[benzoyl  
 chloride] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6


CMF C15 H12 F6 N2 O2



CM 2

CRN 7158-32-9


CMF C14 H8 Cl2 O3



CM 3

CRN 1102-92-7


CMF C17 H8 Cl2 F6 O2



CM 4

CRN 826-62-0

CMF C9 H8 O3




RN 680620-15-9 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 4,4'-oxybis[2-aminophenol], 4,4'-oxybis[benzoyl chloride] and 3a,4,7,7a-tetrahydro-4,7-methanoisobenzofuran-1,3-dione (9CI) (CA INDEX NAME)

CM 1

CRN 7158-32-9


CMF C14 H8 Cl2 O3



CM 2

CRN 6423-17-2


CMF C12 H12 N2 O3



CM 3

CRN 826-62-0


CMF C9 H8 O3



CM 4

CRN 99-63-8

CMF C8 H4 C12 O2




RN 680620-16-0 HCA  
CN 1,3-Benzenedicarbonyl dichloride, polymer with 4,4'-oxybis[benzoyl chloride], 4,4'-sulfonylbis[2-aminophenol] and 3a,4,7,7a-tetrahydro-4,7-methanoisobenzofuran-1,3-dione (9CI) (CA INDEX NAME)

CM 1

CRN 7545-50-8


CMF C12 H12 N2 O4 S



CM 2

CRN 7158-32-9


CMF C14 H8 Cl2 O3



CM 3

CRN 826-62-0


CMF C9 H8 O3



CM 4

CRN 99-63-8

CMF C8 H4 Cl2 O2




RN 680620-17-1 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 3,3'-diamino[1,1'-biphenyl]-4,4'-diol, 2,5-furandione and 4,4'-oxybis[benzoyl chloride] (9CI) (CA INDEX NAME)

CM 1

CRN 7158-32-9

CMF C14 H8 Cl2 O3




CM 2

CRN 4194-40-5

CMF C12 H12 N2 O2






CM 3

CRN 108-31-6


CMF C4 H2 O3



CM 4

CRN 99-63-8

CMF C8 H4 Cl2 O2




RN 680620-18-2 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 4,4'-(1-methylethylidene)bis[2-aminophenol] and 4,4'-oxybis[benzoyl chloride] (9CI) (CA INDEX NAME)

CM 1

CRN 7158-32-9


CMF C14 H8 Cl2 O3



CM 2

CRN 1220-78-6


CMF C15 H18 N2 O2



CM 3

CRN 99-63-8

CMF C8 H4 C12 O2




RN 680620-19-3 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 4,4'-methylenebis[2-aminophenol] and 4,4'-oxybis[benzoyl chloride] (9CI) (CA INDEX NAME)

CM 1

CRN 16523-28-7


CMF C13 H14 N2 O2



CM 2

CRN 7158-32-9


CMF C14 H8 C12 O3



CM 3

CRN 99-63-8

CMF C8 H4 C12 O2




RN 680620-21-7 HCA  
 CN 1,4-Cyclohexanedicarbonyl dichloride, polymer with  
 4,4'-oxybis[benzoyl chloride], 3a,4,7,7a-tetrahydro-4,7-  
 methanoisobenzofuran-1,3-dione and 4,4'-[2,2,2-trifluoro-1-  
 (trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX  
 NAME)

CM 1

CRN 83558-87-6


CMF C15 H12 F6 N2 O2



CM 2

CRN 13170-66-6


CMF C8 H10 Cl2 O2



CM 3

CRN 7158-32-9


CMF C14 H8 Cl2 O3



CM 4

CRN 826-62-0

CMF C9 H8 O3




RN 680620-22-8 HCA  
 CN Hexanedioyl dichloride, polymer with 4,4'-oxybis[benzoyl chloride],  
 3a,4,7,7a-tetrahydro-4,7-methanoisobenzofuran-1,3-dione and  
 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-  
 aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6


CMF C15 H12 F6 N2 O2



CM 2

CRN 7158-32-9


CMF C14 H8 Cl2 O3



CM 3

CRN 826-62-0


CMF C9 H8 O3



CM 4

CRN 111-50-2

CMF C6 H8 Cl2 O2




RN 680620-23-9 HCA

CN Hexanedioyl dichloride, octafluoro-, polymer with  
 4,4'-oxybis[benzoyl chloride], 3a,4,7,7a-tetrahydro-4,7-  
 methanoisobenzofuran-1,3-dione and 4,4'-[2,2,2-trifluoro-1-  
 (trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX  
 NAME)

CM 1

CRN 83558-87-6


CMF C15 H12 F6 N2 O2



CM 2

CRN 7158-32-9


CMF C14 H8 Cl2 O3



CM 3

CRN 826-62-0


CMF C9 H8 O3



CM 4

CRN 336-06-1


CMF C6 Cl2 F8 O2




RN 680620-24-0 HCA

CN Poly[iminocarbonyl-1,3-phenylenecarbonylimino(6-hydroxy-1,3-phenylene)[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene](4-hydroxy-1,3-phenylene)], .alpha.-[5-[1-[3-[[3-carboxybicyclo[2.2.1]hept-5-en-2-yl)carbonyl]amino]-4-hydroxyphenyl]-2,2,2-trifluoro-1-(trifluoromethyl)ethyl]-2-hydroxyphenyl]-.omega.-[[3-carboxybicyclo[2.2.1]hept-5-en-2-yl)carbonyl]amino]- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 1-B




RN 680620-25-1 HCA  
 CN Poly[iminocarbonyl-1,3-phenylenecarbonylimino(6-hydroxy-1,3-phenylene)methylene(4-hydroxy-1,3-phenylene)], .alpha.-[5-[[3-[[3,5-bis(trifluoromethyl)benzoyl]amino]-4-hydroxyphenyl]methyl]-2-hydroxyphenyl]-.omega.-[[3,5-bis(trifluoromethyl)benzoyl]amino]-(9CI) (CA INDEX NAME)

PAGE 1-A






PAGE 1-B




RN 680620-26-2 HCA  
 CN Poly[oxy(4-hydroxy-1,3-phenylene)iminocarbonyl-1,3-phenylenecarbonylimino(6-hydroxy-1,3-phenylene)],  
 .alpha.-[3-[[ (3-carboxybicyclo[2.2.1]hept-5-en-2-yl)carbonyl]amino]-4-hydroxyphenyl]-.omega.-[3-[[ (3-carboxybicyclo[2.2.1]hept-5-en-2-yl)carbonyl]amino]-4-hydroxyphenoxy]- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 1-B




RN 680620-27-3 HCA  
 CN Poly[sulfonyl(4-hydroxy-1,3-phenylene)iminocarbonyl-1,3-phenylenecarbonylimino(6-hydroxy-1,3-phenylene)],  
 .alpha.-[3-[[ (2Z)-3-carboxy-1-oxo-2-propenyl]amino]-4-hydroxyphenyl]-  
 .omega.-[[3-[[ (2Z)-3-carboxy-1-oxo-2-propenyl]amino]-4-hydroxyphenyl]sulfonyl]- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 1-B




RN 680620-28-4 HCA

CN Poly[iminocarbonyl-1,3-phenylenecarbonylimino(4,4'-dihydroxy[1,1'-biphenyl]-3,3'-diyl)], .alpha.-[3'-[[ (2Z)-3-carboxy-1-oxo-2-propenyl]amino]-4,4'-dihydroxy[1,1'-biphenyl]-3-yl]-.omega.-[[ (2Z)-3-carboxy-1-oxo-2-propenyl]amino]- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



RN 680620-29-5 HCA


CN 1,3-Benzenedicarbonyl dichloride, polymer with 3,3'-diamino[1,1'-biphenyl]-4,4'-diol and 4,4'-oxybis[benzoyl chloride] (9CI) (CA

INDEX NAME)

CM 1

CRN 7158-32-9


CMF C14 H8 Cl2 O3



CM 2

CRN 4194-40-5


CMF C12 H12 N2 O2



CM 3

CRN 99-63-8

CMF C8 H4 Cl2 O2




RN 680620-30-8 HCA

CN Benzoyl chloride, 4,4'-oxybis-, polymer with 4,4'-sulfonylbis[benzoyl chloride] and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6


CMF C15 H12 F6 N2 O2



CM 2

CRN 7158-32-9


CMF C14 H8 Cl2 O3



CM 3

CRN 4462-61-7

CMF C14 H8 Cl2 O4 S



RN 680620-31-9 HCA


CN [1,1'-Biphenyl]-4,4'-dicarbonyl dichloride, polymer with  
 4,4'-oxybis(benzoyl chloride) and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX

NAME)

CM 1

CRN 83558-87-6


CMF C15 H12 F6 N2 O2



CM 2

CRN 7158-32-9


CMF C14 H8 Cl2 O3



CM 3

CRN 2351-37-3

CMF C14 H8 Cl2 O2



RN 680620-32-0 HCA


CN Benzoyl chloride, 4,4'-(1-methylethylidene)bis-, polymer with 4,4'-oxybis(benzoyl chloride) and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX

NAME)

CM 1

CRN 83558-87-6


CMF C15 H12 F6 N2 O2



CM 2

CRN 19855-84-6


CMF C17 H14 Cl2 O2



CM 3

CRN 7158-32-9

CMF C14 H8 Cl2 O3



RN 680620-33-1 HCA


CN Benzoyl chloride, 4,4'-methylenebis-, polymer with  
4,4'-oxybis[benzoyl chloride] and 4,4'-[2,2,2-trifluoro-1-

(trifluoromethyl)ethyldene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6


CMF C15 H12 F6 N2 O2



CM 2

CRN 7158-32-9


CMF C14 H8 Cl2 O3



CM 3

CRN 3268-26-6

CMF C15 H10 Cl2 O2



RN 680620-34-2 HCA

CN Benzoyl chloride, 4,4'-oxybis-, polymer with 3,3'-[1,3-phenylenebis(oxy)]bis[benzoyl chloride] and 4,4'-[2,2,2-trifluoro-1-




(trifluoromethyl)ethyldiene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6


CMF C15 H12 F6 N2 O2



CM 2

CRN 74294-29-4


CMF C20 H12 Cl2 O4



CM 3

CRN 7158-32-9

CMF C14 H8 Cl2 O3



RN 680620-35-3 HCA


CN [1,1':4',1'':4'',1'''-Quaterphenyl]-4,4'''-dicarbonyl dichloride,  
polymer with 4,4'-oxybis[benzoyl chloride] and 4,4'-[2,2,2-trifluoro-

1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6


CMF C15 H12 F6 N2 O2



CM 2

CRN 55586-27-1


CMF C26 H16 Cl2 O2



CM 3

CRN 7158-32-9


CMF C14 H8 Cl2 O3




RN 680620-36-4 HCA

CN Poly[iminocarbonyl-1,4-cyclohexanediylcarbonylimino(6-hydroxy-1,3-phenylene)[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene](4-hydroxy-1,3-phenylene)], .alpha.-[5-[1-[3-[[ (3-carboxybicyclo[2.2.1]hept-5-en-2-yl)carbonyl]amino]-4-hydroxyphenyl]-2,2,2-trifluoro-1-(trifluoromethyl)ethyl]-2-hydroxyphenyl]-.omega.-[[ (3-carboxybicyclo[2.2.1]hept-5-en-2-yl)carbonyl]amino]- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 1-B




RN 680620-37-5 HCA

CN Poly[imino(1,6-dioxo-1,6-hexanediyl)imino(6-hydroxy-1,3-phenylene)[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene](4-hydroxy-1,3-phenylene)], .alpha.-[5-[1-[3-[[ (3-carboxybicyclo[2.2.1]hept-5-en-2-yl)carbonyl]amino]-4-hydroxyphenyl]-2,2,2-trifluoro-1-(trifluoromethyl)ethyl]-2-hydroxyphenyl]-.omega.-[[ (3-carboxybicyclo[2.2.1]hept-5-en-2-yl)carbonyl]amino]- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 1-B




RN 680620-38-6 HCA  
 CN Poly[imino(2,2,3,3,4,4,5,5-octafluoro-1,6-dioxo-1,6-hexanediyl)imino(6-hydroxy-1,3-phenylene)[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene](4-hydroxy-1,3-phenylene)], .alpha.-[5-[1-[3-[[3-carboxybicyclo[2.2.1]hept-5-en-2-yl)carbonyl]amino]-4-hydroxyphenyl]-2,2,2-trifluoro-1-(trifluoromethyl)ethyl]-2-hydroxyphenyl]-.omega.-[[3-carboxybicyclo[2.2.1]hept-5-en-2-yl)carbonyl]amino]- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 1-B



RN 680620-39-7 HCA  
 CN 1,3-Benzenedicarbonyl dichloride, polymer with 4,4'-oxybis[benzoyl chloride] and 4,4'-sulfonylbis[2-aminophenol] (9CI) (CA INDEX NAME)


CM 1

CRN 7545-50-8  
 CMF C12 H12 N2 O4 S




CM 2

CRN 7158-32-9  
 CMF C14 H8 Cl2 O3



CM 3


CRN 99-63-8  
 CMF C8 H4 Cl2 O2



RN 680620-40-0 HCA  
 CN 1,4-Cyclohexanedibenzoyl dichloride, polymer with  
 4,4'-oxybis[benzoyl chloride] and 4,4'-[2,2,2-trifluoro-1-  
 (trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX  
 NAME)


CM 1

CRN 83558-87-6  
 CMF C15 H12 F6 N2 O2



CM 2


CRN 13170-66-6  
 CMF C8 H10 Cl2 O2



CM 3

CRN 7158-32-9

CMF C14 H8 C12 O3




RN 680620-41-1 HCA

CN Hexanedioyl dichloride, polymer with 4,4'-oxybis[benzoyl chloride]  
and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-  
aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6


CMF C15 H12 F6 N2 O2



CM 2

CRN 7158-32-9


CMF C14 H8 C12 O3



CM 3

CRN 111-50-2


CMF C6 H8 C12 O2



RN 680620-42-2 HCA  
 CN Hexanedioyl dichloride, octafluoro-, polymer with  
 4,4'-oxybis[benzoyl chloride] and 4,4'-[2,2,2-trifluoro-1-  
 (trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX  
 NAME)


CM 1

CRN 83558-87-6  
 CMF C15 H12 F6 N2 O2



CM 2


CRN 7158-32-9  
 CMF C14 H8 Cl2 O3



CM 3

CRN 336-06-1  
 CMF C6 Cl2 F8 O2






RN 748806-62-4 HCA  
 CN 1,3-Benzenedicarbonyl dichloride, polymer with 4,4'-thiobis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 22445-97-2


CMF C12 H12 N2 O2 S



CM 2

CRN 99-63-8

CMF C8 H4 Cl2 O2



IT 29186-74-1DP, terminated by maleic acid anhydride  
 29186-76-3DP, terminated by perfluorobenzoic acid chloride  
 29186-77-4DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 29791-91-1DP, terminated by maleic acid anhydride 37165-14-3DP, terminated by 3,5-trifluoromethylbenzoic acid chloride 112492-59-8DP,  
 2,2-Bis(3-amino-4-hydroxyphenyl)hexafluoropropane-isophthalic acid chloride copolymer, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 174407-77-3DP, terminated by  
 5-norbornane-2,3-dicarboxylic acid anhydride 257280-04-9DP  
 , terminated by 5-norbornane-2,3-dicarboxylic acid anhydride

500372-81-6DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680619-85-6P 680619-94-7P  
680619-96-9P 680619-97-0P 680619-98-1P  
680619-99-2P 680620-00-2P 680620-01-3P  
680620-02-4P 680620-03-5P 680620-04-6P  
680620-05-7P 680620-06-8P 680620-07-9P  
680620-08-0P 680620-15-9P 680620-16-0P  
680620-17-1P 680620-18-2DP, perfluorobenzoic acid chloride-terminated 680620-19-3DP, 3,5-trifluoromethylbenzoic acid chloride-terminated 680620-21-7P  
680620-22-8P 680620-23-9P 680620-24-0P  
680620-25-1DP, terminated by 3,5-trifluoromethylbenzoic acid chloride 680620-26-2P 680620-27-3P  
680620-28-4P 680620-29-5DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680620-29-5DP, terminated by maleic anhydride 680620-30-8DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680620-31-9DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680620-32-0DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680620-33-1DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680620-34-2DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680620-35-3DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680620-36-4P 680620-37-5P 680620-38-6P 680620-39-7DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680620-40-0DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680620-41-1DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680620-42-2DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 748806-62-4DP, terminated by perfluorobenzoic acid chloride (pos. type photosensitive plastic material for making optical waveguide)

L48 ANSWER 4 OF 13 HCA COPYRIGHT 2004 ACS on STN


140:243585 Positive-working light-sensitive resin composition for forming relief pattern for semiconductor device fabrication and method for heat-resistant coating using the same. Hiro, Masahiko; Minegishi, Tomonori; Katogi, Shigeki (Hitachi Chemical Du Pont Micro System Co., Ltd., Japan). Jpn. Kokai Tokkyo Koho JP 2004077551 A2 20040311, 20 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP 2002-233932 20020809.

AB The title compn. contains a polyoxazole precursor and amine-imide generating a base compd. by heat. The compn. shows the efficient generation of tertiary base by heat and generates oxazoles at low temp.

IT 668990-71-4DP, reaction product with polyamide (amine-imide in pos.-working light-sensitive resin compn.)


CM 1

CMF C15 H12 F6 N2 O2




CM 2

CMF C12 H16 O4



CM 3

CMF C14 H10 O5



IT 668990-71-4DP, reaction product with polyamide  
(amine-imide in pos.-working light-sensitive resin compn.)

L48 ANSWER 5 OF 13 HCA COPYRIGHT 2004 ACS on STN

139:330069 Production method of plastic optical waveguide. Miyao, Kenji (Sumitomo Bakelite Co., Ltd., Japan). Jpn. Kokai Tokkyo Koho JP 2003294967 A2 20031015, 19 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP 2002-93102 20020328.

AB The invention relates to a plastic optical waveguide made of polybenzoxazole derived from the precursor represented by (NH-X(O R1)(OR2)-NH-CO-Y1-CO)m(NH-X(OR3)(OR4)-NH-CO-Y2-CO)n [m > 0, n .gtoreq. 0, 2 < m + n .ltoreq. 1000, and 0.05 .ltoreq. m/(m + n) .ltoreq. 1; R1-4 = H or monovalent org. groups].

IT **613224-09-2P**

(prodn. method of plastic optical waveguide)


RN 613224-09-2 HCA

CN 1,4-Cyclohexanedicarbonyl dichloride, polymer with 4,5'-diamino-2',6-bis(trifluoromethyl)[1,1'-biphenyl]-3,4'-diol and 4,4'-oxybis[benzoyl chloride] (9CI) (CA INDEX NAME)

CM 1

CRN 438202-24-5


CMF C14 H10 F6 N2 O2



CM 2

CRN 13170-66-6


CMF C8 H10 Cl2 O2



CM 3

CRN 7158-32-9

CMF C14 H8 C12 O3



IT 613224-09-2P

(prodn. method of plastic optical waveguide)

L48 ANSWER 6 OF 13 HCA COPYRIGHT 2004 ACS on STN

139:277708 Polybenzoxazole-based electrically insulating materials, their varnish, heat-resistant porous insulator films, and semiconductor devices having them. Hase, Yoko; Enoki, Naoshi (Sumitomo Bakelite Co., Ltd., Japan). Jpn. Kokai Tokkyo Koho JP 2003/277508 A2 20031002, 24 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP 2002-87069 20020326.

AB The insulating materials are manufd. by reacting (A) polyamides having branches, which are formed by reacting bisaminophenols and trifunctional carboxylic acids selected from trimellitic acid, trimesic acid, 1,3,5-cyclohexanetricarboxylic acid, and biphenyl ether-3,3',5-tricarboxylic acid, and (B) oligomers having functional groups reactive to carboxy, amino, or OH groups in the polyamides. The polyamides have repeating units of  $[NHX(OH)2NHC(O)YCO]_m$  and  $[NHX(OH)2NHC(O)ZCO]_n$  [ $X$  = tetravalent groups based on benzene, biphenyl, fluorene, etc.;  $Y$  = biphenylenylene, acetylene-contg. phenylene, biphenylene, naphthylene, cyclohexylene, etc.;  $Z$  = phenylene, biphenylene, fluorenylene, cyclohexylene, etc.;  $m > 0$ ;  $n \geq 0$ ;  $m + n = 2-1000$ ;  $m/(m + n) = 0.05-1$ ]. Thus, 3,3'-diamino-4,4'-dihydroxybiphenyl, trimesic acid trichloride, 5-phenylethynylisophthalic acid, and 5-ethynylisophthalic acid were polymd., reacted with polypropylene glycol bis(2-aminopropyl) ether, dissolved in N-methyl-2-pyrrolidone, applied on an Al-deposited Si wafer, baked, and heated for forming micropores by decomp. polyoxyalkylene portions to give a porous polybenzoxazole film showing dielec. const. 1.90,  $T_g > 450^\circ\text{C}$ , and water absorption 0.2%.

IT 605624-37-1P 605624-39-3P


(heated for micropore formation; polybenzoxazole-based insulating materials for heat-resistant porous insulator films)

RN 605624-37-1 HCA  
CN 1,3-Benzenedicarboxylic acid, 5-ethynyl-, polymer with  
.alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)poly[oxy(methyl-1,2-ethanediyl)],  
1,3,5-cyclohexanetricarbonyl trichloride, 3,3'-diamino[1,1'-biphenyl]-4,4'-diol and 5-(phenylethynyl)-1,3-benzenedicarboxylic acid (9CI) (CA INDEX NAME)

CM 1

CRN 432025-99-5


CMF C16 H10 O4



CM 2

CRN 432025-97-3


CMF C10 H6 O4



CM 3

CRN 29305-31-5

CMF C9 H9 Cl3 O3




CM 4

CRN 9046-10-0

CMF (C3 H6 O)<sub>n</sub> C6 H16 N2 O

CCI IDS, PMS




2 ( D1-Me )

CM 5

CRN 4194-40-5

CMF C12 H12 N2 O2



RN 605624-39-3 HCA


CN 1,3,5-Cyclohexanetricarbonyl trichloride, polymer with  
 .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)poly[oxy(methyl-1,2-ethanediyl)],  
 3,3'-diamino[1,1'-biphenyl]-4,4'-diol and 4,4'-(1,2-

ethynediyl)bis[benzoyl chloride] (9CI) (CA INDEX NAME)

CM 1

CRN 29305-31-5


CMF C9 H9 Cl3 O3



CM 2

CRN 16819-44-6

CMF C16 H8 Cl2 O2




CM 3

CRN 9046-10-0

CMF (C3 H6 O)<sub>n</sub> C6 H16 N2 O

CCI IDS, PMS




2 ( D1-Me )



CM 4

CRN 4194-40-5

CMF C12 H12 N2 O2



IT 605624-37-1P 605624-39-3P

(heated for micropore formation; polybenzoxazole-based insulating materials for heat-resistant porous insulator films)

L48 ANSWER 7 OF 13 HCA COPYRIGHT 2004 ACS on STN

139:237730 Positive-working photosensitive resin compositions containing polyimide or polyoxazole precursors, pattern formation using them, and electronic devices having the pattern. Minegishi, Tomonori (Hitachi Chemical Du Pont Micro System Co., Ltd., Japan). Jpn. Kokai Tokkyo Koho JP 2003248314 A2 20030905, 12 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP 2002-48025 20020225.

AB The compns., which show high sensitivity and good resolu. and provides a cured film with high mech. strength and heat resistance, contain (A) polyimide or polyoxazole precursors which contain (a) heat-polymerizable functional groups at the terminals and (b) OR (R = acid-decomposable monovalent org. group to be converted into H atom) or CO<sub>2</sub>R attached to arom. ring and (B) radiation-sensitive acid generators.

IT 593272-62-9P 593272-65-2P 593278-83-2P

(pos.-working photoresist compns. contg. heat polymerizable group-terminated polyimide or polyoxazole precursors having acid-decomposable group for protective film or interlayer insulating film for electronic devices)

RN 593272-62-9 HCA

CN Poly[oxy-1,4-phenylenecarbonylimino(6-hydroxy-1,3-phenylene)[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene](4-hydroxy-1,3-phenylene)iminocarbonyl-1,4-phenylene], .alpha.-[4-[[[5-[1-[3-[[[3-carboxybicyclo[2.2.1]hept-5-en-2-yl)carbonyl]amino]-4-hydroxyphenyl]-2,2,2-trifluoro-1-(trifluoromethyl)ethyl]-2-hydroxyphenyl]amino]carbonyl]phenyl]-.omega.-[4-[[[5-[1-[3-[[[3-carboxybicyclo[2.2.1]hept-5-en-2-yl)carbonyl]amino]-4-hydroxyphenyl]-2,2,2-trifluoro-1-(trifluoromethyl)ethyl]-2-hydroxyphenyl]amino]carbonyl]phenoxy]-, homopolymer (9CI) (CA INDEX

NAME)


CM 1

CRN 361347-08-2


CMF (C29 H18 F6 N2 O5)n C62 H46 F12 N4 O13

CCI PMS


PAGE 1-A



PAGE 1-B



PAGE 1-C




RN 593272-65-2 HCA  
 CN Poly[iminocarbonyltricyclo[3.3.1.1<sup>3,7</sup>]decane-1,3-diylcarbonylimino(6-hydroxy-1,3-phenylene)[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene](4-hydroxy-1,3-phenylene)],  
 .alpha.-[5-[1-[3-[[ (3-carboxybicyclo[2.2.1]hept-5-en-2-yl)carbonyl]amino]-4-hydroxyphenyl]-2,2,2-trifluoro-1-(trifluoromethyl)ethyl]-2-hydroxyphenyl]-.omega.-[[ (3-carboxybicyclo[2.2.1]hept-5-en-2-yl)carbonyl]amino]-, homopolymer  
 (9CI) (CA INDEX NAME)


CM 1

CRN 593272-64-1  
 CMF (C27 H24 F6 N2 O4)n C33 H28 F6 N2 O8  
 CCI PMS

PAGE 1-A



PAGE 2-A

RN  
CN

593278-83-2 HCA

Poly[oxy-1,4-phenylenecarbonylimino (6-hydroxy-1,3-phenylene) [2,2,2-trifluoro-1-(trifluoromethyl)ethylidene] (4-hydroxy-1,3-phenylene) iminocarbonyl-1,4-phenylene], .alpha.-[4-[[[5-[1-[3-[2-carboxy(phenylethynyl)benzoyl]amino]-4-hydroxyphenyl]-2,2,2-

trifluoro-1-(trifluoromethyl)ethyl]-2-hydroxyphenyl]amino]carbonyl]p  
henyl]-.omega.-[4-[[[5-[1-[3-[[2-carboxy(phenylethynyl)benzoyl]amino  
]-4-hydroxyphenyl]-2,2,2-trifluoro-1-(trifluoromethyl)ethyl]-2-  
hydroxyphenyl]amino]carbonyl]phenoxy]-, homopolymer (9CI) (CA INDEX  
NAME)


CM 1

CRN 593278-82-1

CMF (C29 H18 F6 N2 O5)n C76 H46 F12 N4 O13


CCI IDS, PMS

PAGE 1-A




2 ( Ph-C≡C-D1 )

PAGE 1-B



PAGE 1-C



IT 593272-62-9P 593272-65-2P 593278-83-2P

(pos.-working photoresist compns. contg. heat polymerizable group-terminated polyimide or polyoxazole precursors having acid-decomposable group for protective film or interlayer insulating film for electronic devices)

L48 ANSWER 8 OF 13 HCA COPYRIGHT 2004 ACS on STN

138:354926 Electrically insulating films, materials and coating varnishes for them, and semiconductor devices. Oki, Hiromi; Nakashima, Michio; Hase, Yoko; Izumi, Atsushi (Sumitomo Bakelite Co., Ltd., Japan). Jpn. Kokai Tokkyo Koho JP 2003128990 A2 20030508, 25 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP 2001-331959 20011030.

AB Elec. insulating films, useful as interlayer dielec. films for multilayer wiring boards or surface protective layers for semiconductors, have fine pores and comprise resin layers mainly comprising polybenzoxazole structures, prepd. by thermal condensation and crosslinking reactions of materials or varnishes contg. film-forming polyamide copolymers prepd. by reaction of polyamides  $[NHX(OH)2NHCOYCO]_m[NHX(OH)2NHCOZCO]_n$  [ $R1-R4 = H$ , monovalent org. group;  $X =$  arom. ring-contg. tetravalent group;  $Y =$  divalent group;  $Z =$  divalent group (structures of  $X$ ,  $Y$ , and  $Z$  are given);  $m > 0$ ;  $n \geq 0$ ;  $2 \leq m + n \leq 1000$ ;  $0.05 \leq m/(m + n) \leq 1$ ] having branched structures prepd. from bisaminophenols and polybasic carboxylic acids, with reactive oligomers having substituents reactive towards carboxyl, amino, or OH groups in the polyamide structures. Thus, 2,2-bis(3-amino-4-hydroxyphenyl)hexafluoropropane 35.9, trimesic acid trichloride 0.53, and 4-ethynyl-2,6-naphthalenedicarboxylic acid dichloride 27.7 g were polymd. in N-methyl-2-pyrrolidone (NMP), the reaction mixt. was mixed with  $Et_3N$ , and stirred with a  $\gamma$ -butyrolactone soln. contg. 4-aminobenzoate ester-terminated styrene oligomer ( $M_n$  9600; prepn. given) to give a copolymer contg. 37% reactive oligomer units, which was dissolved in NMP, applied on an Al-deposited Si wafer, dried at 120.degree. for 240 s, heated at 300.degree. for 60 min under N to form a film of a polybenzoxazole having styrene oligomer units at the terminals, and heated at 400.degree. for 60 min for decompn. of the oligomer units to form a polybenzoxazole film having  $\leq 15$ -nm pores, dielec. const. (at 1 MHz) 2.1, heat

resistance 563.degree., Tg >450.degree., and water absorption 0.2%.  
An electrode pattern was formed on the polybenzoxazole film by vapor  
deposition of Al.

IT 519142-94-0P

(thermally decompd., polybenzoxazole; elec. insulating  
polybenzoxazole films having fine pores prepd. by heating of  
copolymers from branched polyamides and reactive oligomers for  
semiconductor devices)


RN 519142-94-0 HCA

CN 1,3,5-Cyclohexanetricarbonyl trichloride, polymer with  
.alpha.-(2-aminopropyl)-.omega.-(2-aminopropoxy)poly[oxy(methyl-1,2-  
ethanediyl)], 4,4'-(1,2-ethynediyl)bis[benzoyl chloride] and  
4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-  
aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6


CMF C15 H12 F6 N2 O2



CM 2

CRN 29305-31-5

CMF C9 H9 Cl3 O3




CM 3

CRN 26403-64-5

CMF (C3 H6 O)<sub>n</sub> C6 H16 N2 O


CCI IDS, PMS



CM 4

CRN 16819-44-6

CMF C16 H8 Cl2 O2



IT 519142-94-0P

(thermally decompd., polybenzoxazole; elec. insulating polybenzoxazole films having fine pores prepd. by heating of copolymers from branched polyamides and reactive oligomers for semiconductor devices)

L48 ANSWER 9 OF 13 HCA COPYRIGHT 2004 ACS on STN

136:103176 Photo-sensitive polybenzoxazole precursor resins and alkali-developable compositions useful for lithographic patterning containing them. Kaneda, Takayuki; Kimura, Masashi; Kanaya, Ryuichiro (Asahi Chemical Industry Co., Ltd., Japan). Jpn. Kokai Tokkyo Koho JP 2002012665 A2 20020115, 21 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP 2000-335097 20001101. PRIORITY: JP 2000-130480 20000428.

AB The resins are obtained from the reaction products of a polyamide bearing OH groups partially with OCN(CH<sub>2</sub>)<sub>m</sub>OCOC(R<sub>1</sub>):CR<sub>2</sub>R<sub>3</sub> (R<sub>1</sub>-3 = H, Cl-3 aliph. groups; m = 2-10), and used in compns. contg. photoinitiators, crosslinkers and diluents for neg.-working photoresists in patterning of semiconductor devices. Thus, condensing 2,2-bis(3-amino-4-hydroxyphenyl)hexafluoropropane with 4,4'-diphenyl ether dicarboxylic acid dichloride, end-blocking the resulting polyamide with phthalic anhydride, purifying, and reacting



the blocked product with 2-isocyanatoethyl methacrylate (at an amt. equiv. to 40 mol% of OH groups on the product) gave a polybenzoxazole precursor 100 parts of which was combined with tetraethylene glycol dimethacrylate 40, 1-phenyl-propanedione-2-(o-benzoyl) oxime 6, Michler's ketone 2, 3-aminopropyltrimethoxysilane 6, N-nitrosodiphenylamine 0.1 and N-methyl-2-pyrrolidone 230 parts to give a neg.-working photoresist with good light curability and developing property by alkali.

IT 389104-95-4P, 2,2-Bis(3-amino-4-hydroxyphenyl)hexafluoropropane-4,4'-diphenyl ether dicarboxylic acid dichloride copolymer polyamide sru, terminated with cyclohexane-1,2-dicarboxylic anhydride, carbamate ester with 2-isocyanatoethyl methacrylate (photo-sensitive polybenzoxazole precursor resins and alkali-developable compns. useful for lithog. patterning contg. them)

RN 389104-95-4 HCA

CN Poly[oxy-1,4-phenylenecarbonylimino(6-hydroxy-1,3-phenylene)[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene](4-hydroxy-1,3-phenylene)iminocarbonyl-1,4-phenylene], .alpha.-[4-[[[3-[1-[3-[[2-carboxycyclohexyl)carbonyl]amino]-4-hydroxyphenyl]-2,2,2-trifluoro-1-(trifluoromethyl)ethyl]-6-hydroxyphenyl]amino]carbonyl]phenyl]-.omega.-[4-[[[3-[1-[3-[[2-carboxycyclohexyl)carbonyl]amino]-4-hydroxyphenyl]-2,2,2-trifluoro-1-(trifluoromethyl)ethyl]-6-hydroxyphenyl]amino]carbonyl]phenoxy]-, [2-[(2-methyl-1-oxo-2-propenyl)oxy]ethyl]carbamate (9CI) (CA INDEX NAME)


CM 1

CRN 389078-02-8


CMF (C29 H18 F6 N2 O5)n C60 H50 F12 N4 O13

CCI PMS


PAGE 1-A



PAGE 1-B




PAGE 1-C



CM 2

CRN 96571-20-9  
CMF C7 H11 N O4




IT 389078-02-8P

(photo-sensitive polybenzoxazole precursor resins and alkali-developable compns. useful for lithog. patterning contg. them)


RN 389078-02-8 HCA

CN Poly[oxy-1,4-phenylenecarbonylimino(6-hydroxy-1,3-phenylene)[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene](4-hydroxy-1,3-phenylene)iminocarbonyl-1,4-phenylene], .alpha.-[4-[[[5-[1-[3-[[2-carboxycyclohexyl)carbonyl]amino]-4-hydroxyphenyl]-2,2,2-trifluoro-1-(trifluoromethyl)ethyl]-2-hydroxyphenyl]amino]carbonyl]phenyl]-.omega.-[4-[[[5-[1-[3-[[2-carboxycyclohexyl)carbonyl]amino]-4-hydroxyphenyl]-2,2,2-trifluoro-1-(trifluoromethyl)ethyl]-2-hydroxyphenyl]amino]carbonyl]phenoxy]- (9CI) (CA INDEX NAME)


PAGE 1-A



PAGE 1-B



PAGE 1-C



IT **389104-95-4P**, 2,2-Bis(3-amino-4-hydroxyphenyl)hexafluoropropane-4,4'-diphenyl ether dicarboxylic acid dichloride copolymer polyamide sru, terminated with cyclohexane-1,2-dicarboxylic anhydride, carbamate ester with 2-isocyanatoethyl methacrylate (photo-sensitive polybenzoxazole precursor resins and alkali-developable compns. useful for lithog. patterning contg. them)

IT **389078-02-8P** (photo-sensitive polybenzoxazole precursor resins and alkali-developable compns. useful for lithog. patterning contg. them)

L48 ANSWER 10 OF 13 HCA COPYRIGHT 2004 ACS on STN

135:258211 Organic insulating film with good electric-insulating and heat-resistant properties and film made from the same. Hase, Yoko; Enoki, Naoshi; Oki, Hiromi (Sumitomo Bakelite Co., Ltd., Japan). Jpn. Kokai Tokkyo Koho JP 2001261829 A2 20010926, 9 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP 2000-77077 20000317.

AB The film is made by the reaction of a diaminophenol, an org. compd. having d value of 3-10, and a dicarboxylic acid; and ring-closing reaction. Thus, a film was prepd. by the polymn. of 2,2-bis(3-amino-4-hydroxyphenyl)hexafluoropropane, trimesic acid trichloride, and 4,4'-hexafluoroisopropylidenediphenyl-1,1'-dicarboxylic acid dichloride.

IT **362484-48-8P** (org. insulating film with good elec.-insulating and heat-resistant properties and film made from the same)


RN 362484-48-8 HCA

CN 1,3,5-Cyclohexanetricarbonyl trichloride, polymer with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[benzoyl chloride] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6


CMF C15 H12 F6 N2 O2



CM 2

CRN 29305-31-5


CMF C9 H9 Cl3 O3



CM 3

CRN 1102-92-7

CMF C17 H8 Cl2 F6 O2



IT 362484-48-8P

(org. insulating film with good elec.-insulating and heat-resistant properties and film made from the same)

L48 ANSWER 11 OF 13 HCA COPYRIGHT 2004 ACS on STN  
130:359295 Positive-working photosensitive resin composition containing polybenzoxazole precursor. Saito, Hideki; Murayama, Mitsumoto; Nakajima, Michio (Sumitomo Bakelite Co., Ltd., Japan). Jpn. Kokai Tokkyo Koho JP 11119426 A2 19990430 Heisei, 9 pp. (Japanese).  
CODEN: JKXXAF. APPLICATION: JP 1997-280696 19971014.

GI

\* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT \*

AB The title resin compn. contains a polybenzoxazole precursor I or (QNHCOR'CONH)s(QNHCOR"CONH)t [n = 2-100; s, t = 1-99; R, R', R" = II [X = CMe<sub>2</sub>, CMeCF<sub>3</sub>, C(CF<sub>3</sub>)<sub>2</sub>, CMePh, CPhCF<sub>3</sub>, CPh<sub>2</sub>, SiMe<sub>2</sub>, SiPh<sub>2</sub>, SiMePh, SO<sub>2</sub>, CO, CO<sub>2</sub>, O, S], p-C<sub>6</sub>H<sub>4</sub>C<sub>6</sub>H<sub>4</sub>-p, naphthylene, phenylene, (CF<sub>2</sub>)<sub>o</sub>, (CH<sub>2</sub>)<sub>p</sub>, (o, p = 4-20), cyclohexylene, III, (CH<sub>2</sub>)<sub>q</sub>(SiY<sub>2</sub>O)<sub>r</sub>SiY<sub>2</sub>(CH<sub>2</sub>)<sub>q</sub> (q, r = 1-20; Y = alkyl or Ph); Q = IV] and a reactant of diazo compd. V or VI with phenol compds. as a photosensitive diazonaphthoquinone compd. The compn. shows improved adhesion to substrate and high transparency.

IT 224585-07-3P

(pos. photoresist compn. contg. polybenzoxazole precursor and naphthoquinonediazide compd.)


RN 224585-07-3 HCA

CN 1,4-Cyclohexanedicarbonyl dichloride, polymer with 4,4'-sulfonylbis[2-aminophenol] and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[benzoyl chloride] (9CI) (CA INDEX NAME)

CM 1

CRN 13170-66-6


CMF C8 H10 Cl2 O2



CM 2

CRN 7545-50-8


CMF C12 H12 N2 O4 S



CM 3

CRN 1102-92-7

CMF C17 H8 Cl2 F6 O2







IT 224585-07-3P

(pos. photoresist compn. contg. polybenzoxazole precursor and naphthoquinonediazide compd.)

L48 ANSWER 12 OF 13 HCA COPYRIGHT 2004 ACS on STN

128:168187 Aromatic polyamides containing phenolic OH with low moisture absorption. Kiyohara, Osamu; Taruishi, Chihiro (Tomoegawa Paper Co., Ltd., Japan). Jpn. Kokai Tokkyo Koho JP 10025341 A2 19980127 Heisei, 14 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP 1996-181029 19960710.

GI



AB The polyamides, useful for heat-resistance improvers or adhesion enhancers, satisfy intrinsic viscosity (.eta.) 0.1-3.0 dL/g and are consist of 5-95 mol% CORCONHR<sub>1</sub>NH and 5-95 mol% COLCONHR<sub>1</sub>NH [R = tetrafluorophenyl, decafluorocyclohexane; L = C<sub>6</sub>H<sub>3</sub>(OH); R<sub>1</sub> = Q<sub>1</sub>, Q<sub>2</sub>, Q<sub>3</sub> [R<sub>2</sub> = single bond, C(CF<sub>3</sub>)<sub>2</sub>, Q<sub>4</sub>]; R<sub>3</sub> = H, CF<sub>3</sub>, Me, OH]. Thus, 1.821 g 5-hydroxyisophthalic acid was reacted with 2.401 g tetrafluoroisophthalic acid and 6.53 g 4,4'-diaminooctafluorobiphenyl at 120.degree. to give polyamide showing .eta. (at 30.degree., in 0.5-g/dL dimethylacetamide soln.) 0.70 dL/g and moisture absorption 0.8%.

IT 202394-73-8P

(fluoromonomer-copolymer. arom. polyamides contg. phenolic OH with low moisture absorption)

RN 202394-73-8 HCA


CN 1,2-Benzenedicarboxylic acid, 4-hydroxy-, polymer with 1,2,3,3,4,4,5,5,6,6-decafluoro-1,2-cyclohexanedicarboxylic acid and 3,3'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[6-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 202394-72-7

CMF C8 H2 F10 O4






CM 2

CRN 22428-25-7


CMF C15 H12 F6 N2 O2



CM 3

CRN 610-35-5

CMF C8 H6 O5



IT 202394-73-8P

(fluoromonomer-copolymer. arom. polyamides containing phenolic OH with low moisture absorption)

L48 ANSWER 13 OF 13 HCA COPYRIGHT 2004 ACS on STN  
 125:277261 Design, preparation and characterization of thermotropic  
 liquid crystal polyamides. Alder, P.; Dolden, J. G. (BP Res.  
 Centre, Middlesex, TW16 7LN, UK). High Performance Polymers, 8(3),

433-444 (English) 1996. CODEN: HPPOEX. ISSN: 0954-0083.

Publisher: Institute of Physics Publishing.

AB In this paper, the authors set out to synthesize novel amorphous wholly arom. and semi-arom. thermotropic polyamides. As cryst. arom. polyamides are normally infusible, it was necessary to ensure that the target polyamides were amorphous with a definable softening point below their temp. of decompn. The 'Symmetry Index' approach first developed by Dolden was used to ensure that the chosen monomer compns. were able to produce amorphous polyamides. Aharoni has reported that three amide linked arom. rings is the min. unit size needed to obtain mesogenic polyamides. Building on this principle, a new empirical predictive technique called the 'Mesogenic Index' is introduced and combined with the Symmetry Index to predict polyamides which are both amorphous and thermotropic. This approach was validated by the prepn. of a whole new series of thermotropic amorphous polyamides which were based on 3,3'-dimethoxybenzidine, and the acid chlorides of terephthalic, isophthalic and adipic acids. Furthermore, this led on to the prepn. of two more series of amorphous polyamides, believed by the authors to be the first wholly arom. thermotropic polyamides to be reported, based on 3,3'-dimethoxy and 3,3'-dimethyl benzidine in conjunction with a variety of arom. and cyclic diacids.

IT 182953-87-3P  
(design and prepn. and characterization of thermotropic liq.-cryst. polyamides)

RN 182953-87-3 HCA


CN 1,3-Benzenedicarboxylic acid, polymer with trans-1,4-cyclohexanedicarboxylic acid and 3,3'-dimethoxy[1,1'-biphenyl]-4,4'-diamine (9CI) (CA INDEX NAME)

CM 1

CRN 619-82-9

CMF C8 H12 O4


Relative stereochemistry.



CM 2

CRN 121-91-5


CMF C8 H6 O4



CM 3

CRN 119-90-4

CMF C14 H16 N2 O2



IT 182953-87-3P

(design and prepn. and characterization of thermotropic  
liq.-cryst. polyamides)